

NAVAL POSTGRADUATE SCHOOL Monterey, California





A

ON COMBINATIONS OF RANDOM LOADS

by

D. P. Gaver

and

P. A. Jacobs

January 1980

Approved for Public Release; Distribution Unlimited.



80 6 13 011

NAVAL POSTGRADUATE SCHOOL MONTEREY, CALIFORNIA

Rear Admiral J. J. Ekelund Superintendent Jack R. Borsting Provost

The work was prepared by:

P. Gaver, Professor

Department of Operations Research

P. A. Jacobs, Associate Professor Department of Operations Research Reviewed by:

Michael G. Sovereign, Chairman

Department of Operations Research

Released by:

William M. Tolles

Dean of Research

UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) READ INSTRUCTIONS REPORT DOCUMENTATION PAGE BEFORE COMPLETING FORM 2. GOVT ACCESSION NO. 3. RECIPIENT'S CATALOG NUMBER NPS55-80-006 On Combinations of Random Loads Technical rep 6 PERFORMING ORG. REPORT NUMBER B. CONTRACT OR GRANT NUMBER(#) D. P./Gaver and P. A. Jacobs PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93940 11. CONTROLLING OFFICE NAME AND ADDRESS 12-PARPORT DATE Naval Postgraduate School Monterey, CA 93940 50 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) 15. SECURITY CLASS. (of this report) Unclassified 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE 16. DISTRIBUTION STATEMENT (of this Approved for Public Release; Distribution Unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Random Lcad Combinations, First Passage Times, Asymptotic Properties, Maxima of Correlated Random Variables 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) S ructures are subject to changing loads from various sources. In many in-

stances these loads fluctuate in time in an apparently random fashion. Certain loads vary rather slowly (called constant loads); other loads occur more nearly as impulses (shock loads). Suppose that the stress put on the structure by various loads acting simultaneously can be expressed as a linear combination of the load magnitudes. In this paper certain simple but somewhat realistic probabilistic load models are given and the resulting probabilistic

DD 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE 5/N 0102-014-6601 :

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (WA

OVER

SALEMAN SALE SALES A CHARLES AND A SALES AND SALES AND A SALES AND


LECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. ABSTRACT CONTINUED

model of the total stress on the structure caused by the loads is considered. The distribution of the first time until the stress on the structure exceeds a given level x, and the distribution of the maximum stress put on the structure during the time interval (0,t] are studied. Asymptotic properties are also given. It is shown that the asymptotic properties of the maximum stress are related to those of the maxima of a sequence of dependent random variables. Classical extreme value type results are derived under proper normalization.



हर है। है। है है जिस के मिल्ली के मिल्ली के मिल्ली के जिस है जो है जिस मिल्ली के मिल्ली के मिल्ली के कि कि हैं



是是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

ON COMBINATIONS OF RANDOM LOADS

by

D. P. Gaver

and

P. A. Jacobs

Operations Research Department Naval Postgraduate School Monterey, CA 93940

1. Introduction and Assumptions

The integrity of a great many physical structures is potentially threatened by combinations of physical loads of varying magnitudes from various sources. We are thinking of structures such as buildings (for instance those that house or contain nuclear power plant elements); aircraft and spacecraft; electrical transmission networks; bridges, piers, and dams; and offshore oil drilling rigs that experience loads from wind, snow and ice, tides, earthquakes, and so forth. In many instances the total load or stress experienced by a structure varies in time in an apparently random fashion. Certain load components vary rather slowly; for example, that component resulting from snow and ice accumulation; others occur more nearly as impulses, such as those associated with winds or earthquakes. The problem is to design structures to withstand the superposition of loads from many sources with at least an approximately understood (high) probability. In engineering terms we wish to work towards

developing a rational safety factor technique for designing structures to withstand the combination of loads anticipated. The purpose of this paper is to describe and investigate certain simple but somewhat realistic probabilistic load models for use in design, and perhaps safety, assessment of structures.


In this paper we confine attention to the superposition of just two load types: shock loads, and constant loads. example, wind gusts, flash floods, and earthquakes have varying magnitudes and have relatively short durations in comparison to the times between their occurrences; these will be modeled as instantaneous shock loads. On the other hand snow, ice, or water accumulation, or even the presence of slow-moving vehicles or furniture, present loads that remain nearly constant in time, occasionally changing to new levels; these will be modeled as constant loads that change infrequently. Throughout this investigation it will be assumed that the effective stress exerted by several types of loads acting simultaneously can be expressed as a linear combination (actually, sum) of those component loads, the loads being treated as stochastic processes. Somewhat similar load combination models have been studied in the past; see the work of Bosshardt [1975], Larrabee and Cornell [1978], McGuire and Cornell [1974], Pier and Cornell [1973], Weh [1977], and others. Note that the present study utilizes the notion of stochastic point processes as a modeling tool; see Cox and Miller [1965] for an introduction, and Lewis (ed.) [1972] for a more extensive treatment.

1.1. Modeling Assumptions and Problems

Assume that the successive magnitudes of shock loads are independently and identically distributed (i.i.d.) random variables with common continuous distribution function G(y); G(y) = 0 for $y \le 0$. The shock loads' appearance is regulated by a Poisson process with rate μ . Furthermore, the constant loads have i.i.d. magnitudes with distribution F(x); F(x) = 0 for $x \le 0$. Constant loads change at moments of a Poisson process with rate λ . Finally, the shock and constant load processes are, for the most part, taken to be statistically independent, although this assumption can be relaxed at times without difficulty.

Let X(t) (respectively Y(t)) be the magnitude of the constant (shock) load process at time t; (Y(t) will usually be zero). Put Z(t) = X(t) + Y(t), the superposition of the two loads at time t, and $M(t) = \sup_{s \le t} Z(s)$, the maximum load combination in [0,t]. See Figure 1. Let $T_X = \{\inf_{t \ge 0: Z(t) > X}\}$,

TO DESCRIPTION OF THE PROPERTY OF THE PROPERTY



i.e. the first-passge time to a combined stress level x. Unless fatigue or some other cumulative effect is in operation $T_{\mathbf{x}}$ will represent the time to failure of a structure whose strength is x, and that is subjected to a stress history $\{Z(t), t \geq 0\}$.

Section 2 is concerned with the description of the distribution of the maximum process and the distribution of T_X . The first step is to obtain Laplace transforms with respect to time. Asymptotic results $(x + \infty)$ for $E[T_X]$ and the distribution of the normalized value $T_X^* = T_X/(E[T_X])$ will then be presented. In particular it will be shown that the distribution of T_X^* is approximately a unit exponential distribution as x becomes large and so does $E[T_X]$.

Section 3 is devoted to a study of the asymptotic properties of the "maximum process," M(t), as $t + \infty$. These results relate to those of Welsch [1972] and O'Brien [1974a,b]; they are seen to extend the classical "extreme value" results of Gumbel [1958] and Gnedenko [1943]. We present results for the asymptotic distribution of M(t) and for the joint distribution of the first and second maximum load combination in [0,t] as $t \to \infty$.

2. The Laplace Transform of the Distribution of M(t) and a First-Passage Time Limit Theorem

2.1. Towards the Distribution of M(t)

Consider first the distribution function of the maximum process, $A_{\chi}(t) = P\{M(t) \leq x\}$, for $\chi > 0$. Its Laplace transform is available immediately by noting that if T_1 is the time of the first change in the magnitude of the constant load process, then

$$i I_{y}(t) = P\{M(t) \le x, T_{1} > t\} + P\{M(t) \le x, T_{1} \le t\}$$

$$= e^{-\lambda t} \int_{0}^{x} exp\{-\mu t \ \bar{G}(x-y)\} \ F(dy)$$

$$+ \int_{0}^{t} \lambda e^{-\lambda v} \ dv \int_{0}^{x} exp\{-\mu v \ \bar{G}(x-y)\} \ H_{x}(t-v) \ F(dy) . \quad (2.1)$$

Next take Laplace transforms with respect to t:

$$\hat{h}_{x}(\xi) = \int_{0}^{\infty} e^{-\xi t} H_{x}(t) dt = M_{x}(\xi) + \lambda M_{x}(\xi) \hat{h}_{x}(\xi) ;$$
 (2.2)

reversal of the order of integration provides tilt

$$M_{X}(\xi) = \int_{0}^{X} [\xi + \lambda + \mu \overline{G}(x-y)]^{-1} F(dy).$$
 (2.3)

Hence,

$$\hat{\mathbf{h}}_{\mathbf{x}}(\xi) = \frac{\mathbf{M}_{\mathbf{x}}(\xi)}{1 - \lambda \mathbf{M}_{\mathbf{x}}(\xi)}.$$
 (2.4)

It seems to be difficult to solve (2.1) (invert (2.4)) in any simple convenient form for any interesting choice of the distributions F and G. However, useful information can still be gleaned from (2.4). First, it is clear that if T_{χ} is the first-passage time to combined load χ , so

$$T_{x} = \inf\{t \ge 0:M(t) > x\}, \qquad (2.5)$$

then, since $P\{M(t) \le x\} = P\{T_x > t\}$,

$$h_{x}(\xi) = \int_{0}^{\infty} e^{-\xi t} P\{T_{x} > t\} dt$$
, (2.6)

Let $\xi \to 0$ in (2.4) to find that

$$m(x) \equiv E[T_x] = h_x(0) = \frac{M_x(0)}{1 - \lambda M_x(0)}$$
 (2.7)

We now record some expressions for the mean first-passage time to x when specific distributions for shock and constant load magnitudes are in force.

Example 2.1. Identical exponentials: $F(x) = G(x) = 1 - e^{-x}$, $x \ge 0$. In this case

$$M_{\mathbf{x}}(0) = \frac{1}{\lambda} (1 - e^{-\mathbf{x}}) - \frac{\mu \mathbf{x} e^{-\mathbf{x}}}{\lambda^2} - \frac{\mu e^{-\mathbf{x}}}{\lambda} \ln \left[\frac{\lambda + \mu e^{-\mathbf{x}}}{\lambda + \mu} \right]$$

and

$$E[T_{\mathbf{x}}] = \frac{e^{\mathbf{x}}}{\lambda^{2}} \left\{ \frac{\lambda (1-e^{-\mathbf{x}}) - \mu \mathbf{x}e^{-\mathbf{x}} + -\mu e^{-\mathbf{x}} \ln [(\lambda+\mu)/(\lambda+\mu e^{-\mathbf{x}})]}{1 + \frac{\mu}{\lambda} \mathbf{x} + \frac{\mu}{\lambda} \ln [(\lambda+\mu)/(\lambda+\mu e^{-\mathbf{x}})]} \right\}$$

$$\sim \frac{1}{\mu} \left(\frac{e^{\mathbf{x}}}{\mathbf{x}} \right)$$
 as $\mathbf{x} + \infty$.

Example 2.2. Different exponentials:

$$\overline{F}(x) = e^{-ax}$$
, $\overline{G}(x) = e^{-kx}$ where $\frac{a}{k} = 2$.

In this case

$$M_{x}(0) = \int_{0}^{x} [\lambda + \mu e^{-k(x-y)}]^{-1} ae^{-ay} dy$$

= $\lambda^{-2} e^{-2kx} N(x)$

where

$$N(x) = \lambda[-1 + e^{2kx}] + 2\mu[1-e^{kx}] + 2\mu^2[-kx + \ln[(\lambda+\mu)(\lambda + \mu e^{-kx})^{-1}]].$$

Thus

$$E[\underline{T}_{x}] = \lambda^{-1} N(x) [\lambda e^{2kx} - N(x)]^{-1} \sim \frac{e^{kx}}{2\mu}.$$
 (2.9)

Example 2.3. $\vec{F}(x) = e^{-x}$, $\vec{G}(x) = e^{-x^2}$. In this case

$$M_{x}(0) = \frac{1}{\lambda} [1 - e^{-x}] + \frac{\mu}{\lambda} e^{-x} N(x)$$

where

$$N(x) = (e^{-x} - 1)[(\lambda + \mu)(\lambda + \mu e^{-x})]^{-1}$$
.

Thus

$$E[T_{x}] = \frac{1}{\lambda} e^{x} [1 - e^{-x} + \mu e^{-x} N(x)] [1 - \mu N(x)]^{-1} \sim \frac{\lambda + \mu}{\lambda(\lambda + \mu) + \mu} e^{x}.$$
(2.10)

Example 2.4.

$$\bar{F}(x) = \begin{cases} 1 & x < a_1^{1/\alpha}, \\ a_1 x^{-\alpha} & x \ge a_1^{1/\alpha}, \end{cases}$$

and

$$\vec{G}(x) = \begin{cases} 1 & x < a_2^{1/\alpha}, \\ a_2 x^{-\alpha} & x > a_2^{1/\alpha} \end{cases}$$

where $\alpha > 0$ and a_1 , $a_2 > 0$. In this case as $x \to \infty$ $E[T_x] \sim [\lambda a_1 + \mu a_2]^{-1} x^{\alpha}. \tag{2.11}$

Example 2.5.

$$\mathbf{F}(\mathbf{x}) = \begin{cases} 1 & \text{if } \mathbf{x} < 1, \\ \mathbf{x}^{-\alpha} & \text{if } \mathbf{x} \ge 1, \end{cases}$$

and

$$\bar{G}(x) = \begin{cases} 1 & \text{if } x < 1, \\ x^{-\beta} & \text{if } x \ge 1. \end{cases}$$

If $\alpha < \beta$, then as $x \rightarrow \infty$

$$E[T_x] \sim \frac{1}{\lambda} x^{\alpha}$$
.

If
$$\beta < \alpha$$
, then as $x + \infty$
$$E[T_{x}] \sim \frac{1}{\mu} x^{\beta} .$$
 (2.12)

The next result is a limiting result for the first time the load combination process exceeds a given level x.

THEOREM (2.1). The limiting distribution of $\mathbf{T}_{\mathbf{X}}$ is exponential, in the sense that

$$\lim_{x \to x_0} P\{m(x)^{-1}T_x > t\} = e^{-t}$$

where

$$x_0 = \inf\{t: F*G(t) = 1\}.$$

and

$$m(x) = E[T_x].$$

Proof. Put $\rho = \mu \lambda^{-1}$ and rearrange (2.3) so that the denominator of (2.7) is in the form

$$1 - \lambda M_{x}(G) = \vec{F}(x) + \int_{0}^{x} \rho \vec{G}(x-y) [1 + \rho \vec{G}(x-y)]^{-1} F(dy) = h_{1}(x). \quad (2.13)$$

Now apply the bounded convergence theorem and the fact that F and G have densities to show that $m(x) + \infty$ as $x + x_0$. It next follows by a change of variables in (2.4) that

$$\int_{0}^{\infty} e^{-\xi t} P\{m(x)^{-1} T_{x} > t\} dt = m(x)^{-1} \hat{h}_{x}(\gamma(x)) = \frac{M_{x}(\gamma(x))}{m(x)[1-M_{x}(\gamma(x))]} (2.14)$$

where $\gamma(x) = \xi m(x)^{-1}$. By the bounded convergence theorem applied to (2.3), $\lim_{x \to x_0} M_x(\gamma(x)) = \frac{1}{\lambda} . \tag{2.15}$

Again from (2.3) we have

$$1 - \lambda M_{X}(Y(X))$$

$$= \tilde{F}(X) + \int_{0}^{X} [Y(X)\lambda^{-1} + \rho \bar{G}(X-Y)][Y(X)\lambda^{-1} + 1 + \rho \bar{G}(X-Y)]^{-1} F(dY) .$$

Hence,

$$\begin{split} &m(\mathbf{x}) \, [1 \, - \, \lambda M_{\mathbf{x}}(\gamma(\mathbf{x})) \,] \\ &= \frac{\xi}{\lambda} \, \int_{0}^{\mathbf{x}} \, \left[\gamma(\mathbf{x}) \, \lambda^{-1} \, + \, 1 \, + \, \rho \overline{\mathbf{G}}(\mathbf{x} - \mathbf{y}) \, \right]^{-1} \, \mathbf{F}(\mathbf{d}\mathbf{y}) \\ &+ \, m(\mathbf{x}) \, [\overline{\mathbf{F}}(\mathbf{x}) \, + \, \int_{0}^{\mathbf{x}} \, \rho \overline{\mathbf{G}}(\mathbf{x} - \mathbf{y}) \, [\gamma(\mathbf{x}) \, \lambda^{-1} \, + \, 1 \, + \, \rho \overline{\mathbf{G}}(\mathbf{x} - \mathbf{y}) \,]^{-1} \, \mathbf{F}(\mathbf{d}\mathbf{y}) \,] \; . \end{split}$$

Let

$$h_2(x) = \bar{F}(x) + \int_0^x \rho \bar{G}(x-y) [\gamma(x) \lambda^{-1} + 1 + \rho \bar{G}(x-y)]^{-1} F(dy);$$

then

where

$$k(x) = \int_{0}^{x} \rho \bar{G}(x-y) \{ [1 + \rho \bar{G}(x-y)] \{ \gamma(x) \lambda^{-1} + 1 + \rho \bar{G}(x-y) \} \}^{-1} F(dy).$$

By the bounded convergence theorem

$$\lim_{x \to x_0} k(x) = 0.$$

Recall that

$$m(x) = \frac{\frac{1}{\lambda} + O(x)}{h_1(x)}.$$

Hence,

$$\frac{h_{1}(x) - h_{2}(x)}{m(x)} = \frac{\xi h_{1}(x) \lambda^{-1}}{\lambda^{-1} + O(x)} \frac{k(x)}{h_{1}(x)}$$
$$= \frac{\xi}{1 + O(x)} k(x)$$

which tends to zero as $x + x_0$. Therefore,

$$\lim_{x \to x_0} m(x) [1 - \lambda M_x(\gamma(x))] = \xi \lambda^{-1} + \lambda^{-1} \lim_{x \to x_0} \left[1 + \frac{h_2(x) - h_1(x)}{h_1(x)} \right]$$
$$= (\xi + 1) \cdot \lambda^{-1}.$$

The result now follows from (2.14), (2.15) and the unicity result for Laplace transforms.

3. Asymptotic Results for the Maximum Load Combination

In this section we will study the asymptotic behavior of the maximum load combination to occur during time interval (0,t) as $t \to \infty$. Most results concerning maxima of non-Gaussian random variables are for variables in discrete time. Thus we will first obtain results for an embedded discrete time load combination process.

Let S_n be the time of the nth change in magnitude of the load combination process; that is,

$$S_{1} = \inf\{t > 0:Z(t) \neq Z(t-)\}$$
 and for n > 1
$$S_{n} = \inf\{t > S_{n-1}:Z(t) \neq Z(t-)\}.$$
 (3.1)

The change in the load combination at time S_n may be due to either a change in the constant load process or to the arrival of a shock load. Let $Z_n = Z(S_n)$ (respectively, $X_n = X(S_n)$, and $Y_n = Y(S_n)$) be the magnitude of the load combination (respectively constant load and shock load) at time S_n . Put

$$M_{n} = \max_{0 \le k \le n} (z_{k}) . \qquad (3.2)$$

Note that the times $\{S_n^{}\}$ are the arrival times of a Poisson process with rate λ + μ and are independent of $\{Z_n^{}\}$. Further,

$$P\{Z_0 \le x\} = F(x)$$

and for n 2 1 and mentioned safe to state the state of

$$P\{Z_n \leq x\} = pF(x) + qF*G(x)$$
 (3.3)

where

$$p = \int_0^\infty \lambda e^{-\lambda t} e^{-\mu t} dt = \frac{\lambda}{\lambda + \mu}$$

and

$$q = 1-p$$
.

3.1. Properties of An Imbedded Maximum Process

We will first study the asymptotic behavior of M_n as $n \to \infty$. Note that the random variables $\{Z_n\}$ are not independent. In fact $\{(X_n,Z_n): n=0,1,\ldots\}$ is a discrete time Markov process. The following result describes the dependence of the random variables $\{Z_n\}$.

PROPOSITION (3.1). The sequence $\{z_n\}$ is uniformly mixing (cf. Loynes [1965, p. 994]).

<u>Proof.</u> Let A and B be events such that $A = f(Z_0, ..., Z_n)$ and $B = g(Z_{n+m}, Z_{n+m+1}, ...)$. Then

$$|P(A \cap B) - P(A) P(B)|$$

$$= |E[(P(B|X_n) - P(B)); A]|$$

$$= q^m |E[\int (\epsilon_{X_n}(dy) - F(dy)) P(B|X_{n+m} = y); A]|$$

$$\leq 2q^m P(A)$$

where $\epsilon_{\mathbf{x}}$ denotes the Dirac measure concentrated at the point x.

This last proposition and a result of Loynes [1965, Theorem 1] imply that the only possible nondegenerate limiting distributions of M_n are the same three types that occur in the asymptotic behavior of the maxima of independent random variables; namely (except for scale and location parameters),

$$H_{1}(x) = \begin{cases} 0 & x \leq 0, \\ \exp\{-(x^{-\alpha})\} & x > 0, \alpha > 0 \end{cases}$$

$$H_{2}(x) = \begin{cases} \exp\{-(-x^{\alpha})\} & x < 0, \alpha > 0 \\ 1 & x \geq 0 \end{cases}$$

$$H_{3}(x) = \exp\{-e^{-x}\} & -\infty < x < \infty.$$
(3.4)

However, for the process $\{Z_n\}$, the following Proposition (3.2) together with a result of Loynes [1965, Lemma 2] implies that the limiting behavior of M_n will not necessarily be the same as that of the maximum of a sequence of independent random variables having common distribution pF(x) + qF*G(x).

PROPOSITION (3.2). For any sequences $k_n \rightarrow \infty$ and $c_n \rightarrow \infty$

$$\lim_{n \to \infty} \frac{1}{k_n} \sum_{i=1}^{k_n} (k_n - i) P\{Z_{i+1} > c_n | Z_1 > c_n\} > 0.$$

Proof. Note that for any c > 0

$$P\{Z_{i+1} > c | Z_1 > c\} \ge q^i$$
.

The result now follows.

In order to obtain the limiting distribution of $\,^{M}_{n}\,^{}$ we will first study the limiting distribution of a related process which is defined as follows.

Let

$$J_{n} = \begin{cases} 1 & \text{if } Y_{n} = 0, \\ 0 & \text{if } Y_{n} > 0, \end{cases}$$

that is, $J_n = 1$ if the nth change in the load combination process $\{Z(t); t \ge 0\}$ is due to a change in the constant load and 0 if it is due to the arrival of a shock load.

Let

and .

$$\tau_0 = 0$$

$$\tau_n = \inf\{k > \tau_{n-1} : J_k = 1\} ,$$

the index of the change in the load combination process which is due to the nth change in the constant load process. Let


$$L_n(k) = \sum_{\tau_i \le n} 1_{\{k\}} (\tau_i - \tau_{i-1})$$
,

the number of τ_i that occur before (discrete) time n such that $\tau_i - \tau_{i-1} = k$; $(1_{\{k\}}(x) = 1 \text{ if } x = k \text{ and } 0 \text{ otherwise})$.

Let

$$U_{n} = \sup_{\tau_{n-1} \le k < \tau_{n}} Z_{k} ,$$

the maximum load combination to occur during the nth period of time the constant load process remains constant.



THE DISCRETE TIME LOAD COMBINATION PROCESS AND MAXIMA.

For each integer K

$$M_{K,n} = \max_{\tau_i \le n} U_i l_{[0,K]}(\tau_i - \tau_{i-1})$$

the maximum load combination for the discrete time process in the time interval [0,n] which is due to those shock loads and constant loads which occur during time intervals of constancy for the discrete time constant load process which are of length less than or equal to K. Finally, let $M_{K,n}^{(2)}$ be the magnitude of the second maximum of the sequence

$$\{u_{i} \mid i_{[0,K]}(\tau_{i} - \tau_{i-1}), \tau_{i} \leq n\}$$
.

Note from (3.2) that

$$M_{K,n} \leq M_n$$
.

Hence

$$H_{K,n}(\mathbf{x}) = P\{M_{K,n} \leq \mathbf{x}\}$$

$$= E[\prod_{k=0}^{K} [\mathbf{F}^*\mathbf{G}^k(\mathbf{x})]^{\mathbf{L}_n(k)}]$$

$$\geq P\{M_n \leq \mathbf{x}\}.$$

3.2. <u>Limiting Results for Pareto-tail Load Distributions</u>
In what follows we will assume

$$\overline{F}(x) = a_1 x^{-\alpha} L(x) , \qquad x > 0 ,$$

$$\overline{G}(x) = a_2 x^{-\alpha} L(x) , \qquad x > 0 ,$$
(3.5)

where L is a slowly varying function.

Next we will find the limiting distribution of $M_{K,n}$ as $n \to \infty$ for fixed K. Then we will show that the limiting distribution of $M_{K,n}$ is close to that of M_n for K large.

PROPOSITION (3.3). Let $\bar{\mathbf{F}}$ and $\bar{\mathbf{G}}$ be as in (3.5), and \mathbf{u}_n be such that

$$(u_n)^{-\alpha} L(u_n) \sim \frac{1}{n}$$
 as $n \to \infty$. (3.6)

Then

$$\lim_{n \to \infty} H_{K,n}(u_n x) = \exp\{-x^{-\alpha} p^2 \sum_{k=0}^{K} q^k [a_1 + ka_2]\} \equiv H_k(x).$$

Proof. Note that

$$1 - G^{k}(x) = k\overline{G}(x) G(x)^{k-1} + {\binom{k}{2}} \overline{G}(x)^{2} G(x)^{k-2} + \cdots + [\overline{G}(x)]^{k}$$

$$\sim ka_{2}x^{-\alpha} L(x) \quad \text{as} \quad x \to \infty.$$

Thus by result (8.13) on page 278 of Feller [1971],

$$1 - F*G^k(x) \sim (a_1 + ka_2) x^{-\alpha} L(x)$$
.

Hence as $n \rightarrow \infty$

$$\begin{split} H_{K,n}(u_n x) &= E[\exp\{\sum_{k=0}^{K} L_n(k) \ln F * G^k(u_n x)\}] \\ &\sim E[\exp\{\sum_{k=0}^{K} L_n(k) [1 - F * G^k(u_n x)]\}] \\ &\sim E\left[\exp\{\sum_{k=0}^{K} \frac{L_n(k)}{n} x^{-\alpha} [a_1 + ka_2]\}\right]. \end{split}$$

Note that

$$\lim_{n \to \infty} \frac{L_{n}(k)}{n} = p^{2}q^{k} , \qquad k = 0, 1,$$

The result now follows by the bounded convergence theorem.

THEOREM (3.4). Under the assumptions of Proposition (3.3)

$$\lim_{n\to\infty} P\{M_n \le u_n x\} = \exp\{-x^{-\alpha}[pa_1 + qa_2]\}.$$

Proof. Let

$$H_{\dot{K}}(x) = \exp\{\sum_{k=0}^{K} p^2 q^k x^{-\alpha} [a_1 + ka_2]\}$$

and

$$H(x) := \lim_{K \to \infty} H_K(x)$$
$$= \exp\{-x^{-\alpha}[pa_1 + qa_2]\}.$$

$$|P\{M_n \leq u_n x\} - H(x)|$$

$$\leq |P\{M_n \leq u_n x\} - H_{K,n}(u_n x)|$$

$$+ |H_{K,n}(u_n x) - H_{K}(x)| + |H_{K}(x) - H(x)|.$$

Note that

$$|P\{M_n \le u_n x\} - H_{K,n}(u_n x)| \le E[1 - exp\{-A_n(K)\}]$$
 (3.7)

where

$$A_{n}(K) = -\sum_{k=K+1}^{\infty} L_{n}(k) \ln F*G^{k}(u_{n}x)$$

$$= \sum_{k=K+1}^{\infty} L_{n}(k) \left[1 - F*G^{k}(u_{n}x) + o(1 - F*G^{k}(u_{n}x))\right].$$

Since

$$1 - G^{k}(x) \le k\overline{G}(x)$$

and

$$1 - F*G^{k}(x) = 1 - G^{k}(x) + k \int_{0}^{x} G^{k-1}(y) \overline{F}(x - y) G(dy)$$

$$\leq k \overline{F*G}(x)$$

it follows that

$$A_{n}(K) \leq \sum_{k=K+1}^{\infty} L_{n}(k) \left[k \overline{F^{*}G}(u_{n}x)^{k} + o(k \overline{F^{*}G}(u_{n}x)^{k}) \right].$$

Note that, for $0 < \epsilon < 1$.

$$\overline{F * G}(u_n x) \leq \overline{F}(u_n x(1-\varepsilon)) + \overline{G}(u_n x(1-\varepsilon)) + \overline{F}(u_n x\varepsilon) \overline{G}(u_n x\varepsilon).$$

Therefore for fixed $\delta > 0$ there is an N_0 such that for $n \, \geq \, N_0$

$$\sum_{k=K+1}^{\infty} L_{n}(k) k \overline{F^{*}G}(u_{n}x) \leq \sum_{k=K+1}^{\infty} \frac{L_{n}(k)}{n} k [a_{1}x^{-\alpha} + a_{2}x^{-\alpha} + \delta].$$

Further,

$$E[L_n(k)] \le E[\sum_{i=1}^n 1_{\{k\}}(\tau_i - \tau_{i-1})] = np^2q^k$$
.

Hence for $n \geq N_0(\delta)$

$$E \begin{bmatrix} \sum_{k=K+1}^{\infty} L_{n}(k) & k & \overline{F*G}(u_{n}x) \end{bmatrix} \leq [a_{1} + a_{2}]x^{-\alpha} + \delta \end{bmatrix} \sum_{k=K+1}^{\infty} p^{2}q^{k}k.$$
 (3.8)

Choose $\gamma > 0$. Apply Jensen's inequality to (3.7): for $n > N_0(\delta)$

$$E[1 - exp{-A_n(K)}] \le 1 - exp{E[-A_n(K)]} \rightarrow 0$$

as $K o \infty$. Thus for sufficiently large in and K

$$|P\{M_n \leq u_n x\} - H_{K,n}(u_n x)|$$

Education and also

is arbitrarily small. It follows that

$$\lim_{n \to \infty} P\{M_n \le xu_n\} = \exp\{-x^{-\alpha}[pa_1 + qa_2]\}$$
 (3.9)

whereas, if the load process were one of independent random variables, denoted by Z_n^* with distribution pF(x) + qF*G(x), the maximum would be distributed as follows

$$\lim_{n \to \infty} P\{M_n^i \le xu_n\} = \exp\{-x^{-\alpha}[a_1 + qa_2]\}; \qquad (3.10)$$

The u_n is the same in each case; see (3.6). Comparison of (3.9) and (3.10) shows that the expression (3.10) overestimates the probability of exceeding a given stress level.

O'Brien [1974a] obtained the above result in the case in which there is a constant load (i.e., $a_2=0$) alone, or only a shock load (i.e., $a_1=0$).

3.3. Results for Continuous Time

THEOREM (3.5). Let \tilde{F} and \tilde{G} be as in (3.5). Let u(t) be such that $u(t)^{-\alpha} L(u(t)) \sim 1/t$ as $t + \infty$. Then $\lambda + \mu$.

$$\lim_{t\to\infty} P\{M(t) \le xu(t)\} = \exp\{-x^{-\alpha}[\lambda a_1 + \mu a_2]\}. \quad (3.9)$$

<u>Proof.</u> Let N(t) be the number of changes in the load combination process, $\{Z(u); u \ge 0\}$, in the time interval [0,t). The process $\{N(t); t \ge 0\}$ is a Poisson process with rate Further,

$$M(t) = M_{N(t)}$$

The result now follows from the proofs of Proposition (3.3) and Theorem (3.4), the strong law of large numbers for N(t), and the bounded convergence theorem.

Slight modifications of the proofs of Proposition (3.3) and Theorems (3.4) and (3.5) imply the following result.

THEOREM. (3.6), Let

$$\bar{F}(x) = x^{-\alpha}L(x)$$
 and $\bar{G}(x) = x^{-\beta}L(x)$

where L is a slowly varying function.

a) If $\alpha < \beta$ and u(t) is such that $u(t)^{-\alpha}L[u(t)] \sim 1/t$ as $t \to \infty$, then $\lim_{t \to \infty} P\{M(t) \le xu(t)\} = \exp\{-\lambda x^{-\alpha}\}. \tag{3.10}$

b) If $\beta < \alpha$ and u(t) is such that $u(t)^{-\beta} L[u(t)] \sim 1/t$, as $t + \infty$, then $\lim_{t \to \infty} P\{M(t) \le xu(t)\} = \exp\{-\mu x^{-\beta}\}.$

The above result indicates that if the tail of the distribution of the magnitude of a constant load (respectively shock load) dominates that of the shock (respectively constant load), the asymptotic behavior of the maximum load combination is the same as that of the maximum constant load (respectively shock load) by itself. On the other hand, Theorem (3.5) indicates that if tails of the distributions of the magnitudes of the constant and shock loads are comparable, then the asymptotic behavior of the maxima of the load combination process depends on both the constant and shock load processes.

3.4. Limiting Results for the Joint Distribution of the First and Second Maxima

Let $M_n^{(2)}$ denote the magnitude of the second maxima of $\{z_k;\ k\le n\}$. Assume $\bar F$ and $\bar G$ are as in (3.5). Let

$$H(x) = \exp\{-x^{-\alpha}[pa_1 + qa_2]\}$$

as before. Techniques similar to those used in the proofs of the results in Subsection (3.2) yield the following result THEOREM (3.7). Let u_n be as in (3.6). Then

$$\lim_{n \to \infty} P\{M_n^{(2)} \leq yu_n, M_n \leq xu_n\} = B(\hat{y}, x)$$

where for $x \leq y$,

$$B(y,x) = H(x)$$

and for y < x

$$B(y,x) = H(y) \{1 + [p^2a_1 + qa_2][y^{-\alpha} - x^{-\alpha}]\}$$
.

A result of Welsch [1972] implies that the limiting distribution B must be of the following form

$$B(y,x) = \begin{cases} H(x) & \text{if } y > x, \\ \\ H(y) \{1 - g[(\ln H(x)/\ln H(y))] \ln H(y)\}, & \text{if } y < x \end{cases}$$
 (3.11)

where g(s), $0 < s \le 1$ is a concave, nonincreasing function which statisfies $g(0)(1-s) \le g(s) \le 1-s$. In our case

$$g(s) = \left[\frac{p^2 a_1 + q a_2}{p a_1 + q a_2} \right] (1 - s) . \qquad (3.12)$$

Let $M^{(2)}(t)$ denote the magnitude of the second maximum to occur in [0,t] for the continuous time load combination process $\{Z(s); s \ge 0\}$. Arguments similar to those in Section 3.3 can be used to obtain the following result.

TO THE ASSESSMENT OF THE PROPERTY OF A STATE AND A STATE OF THE PROPERTY OF TH

THEOREM (3.8). Let F and G be as in (3.5) and u(t) be such that $u(t)^{-\alpha} L(u(t)) \sim 1/t$ as $t \to \infty$. For x > y

$$\lim_{t \to \infty} P\{M(t) \le xu(t), M^{(2)}(t) \le yu(t)\}$$

$$= \exp\{-y^{-\alpha}[\lambda a_1 + \mu a_2]\} \left[1 + \frac{\lambda^2}{\lambda + \mu} a_1 + \mu a_2 (y^{-\alpha} - x^{-\alpha})\right];$$

for $x \leq y$

$$\lim_{t \to \infty} P\{M(t) \le xu(t), M^{(2)}(t) \le yu(t)\}$$

$$= \exp\{-x^{-\alpha}[\lambda a_1 + \mu a_2]\}.$$

ACKNOWLEDGMENT :

P. A. Jacobs wishes to acknowledge research support from the National Science Foundation Grant Numbers ENG-77-09020 and ENG-79-01438. D. P. Gaver acknowledges support from the Probability and Statistics Branch, Office of Naval Research.

REFERENCES

- BOSSHARDT, W. On stochastic load continuation. Technical Report 20, J. A. Blume. Earthquake Engineering Center, Stanford University, Stanford, CA, June 1975.
- COX, D. R. and MILLER, H.D. The theory of stochastic processes, John Wiley and Sons, 1965.
- FELLER, W. An Introduction to Probability Theory and its Applications, Vol. 2, Second Edition, John Wiley and Sons, 1971.
- GNEDENKO, B. V., Sur las distribution limite du terme maximum d'une série aléatoire, Ann. Math. 44 (1943), 423-453.
- GUMBEL, E. J. Statistics of Extremes. Columbia University Press, New York, 1958.
- LARRABEE, R. D. and CORNELL, C. A. Upcrossing rate solution for load combinations. J. Structural Division, ASCE 105 No. STI (1978).
- LEWIS, P. A. W. (ed.). Stochastic Point Processes: Statistical Analysis, Theory, and Applications. John Wiley and Sons, Inc., 1972.
- LOYNES, R. M. Extreme values in uniformly mixing stationary stochastic processes. Ann. Math. Statist. 36 (1965), 993-999.

- MCGUIRE, R. K. and CORNELL, C. A. Live loud effects in office buildings. J. Structural Division ASCE 100, No. ST7 (1974), 1351-1366.
- O'BRIEN, G. L. Limit theorems for the maximum term of a stationar, process. Annals of Prob. 2 (1974a), 540-545.
- O'BRIEN, G. L. The maximum term of uniformly mixing stationary process. Z. Wahrscheinlichkeitstheorie und Verw. Gebiete 30 (1974b), 57-63.
- PEIR, J. C. and CORNELL, C. A. Spatial and temporal variability of live loads. J. Structural Division ASCE 99, No ST5 (1973), 903-922.
- WEH, Y-K. Statistical combination of extreme loads. J. Structural Division ASCE 103, No. ST5 (1977), 1079-1092.
- WELSCH, R. E. Limit laws for extreme order statistics from strong-mixing processes. Ann. Math. Statistc. 43 (1972), 439-446.

INITIAL DISTRIBUTION LIST

Copies

Numb	oer of
Defense Documentation Center Cameron Station Alexandria, VA 22314	2
Library Code Code 0142 Naval Postgraduate School Monterey, CA 93940	2
Library Code 55 Naval Postgraduate School Monterey, Ca. 93940	1
Dean of Research Code 012A Naval Postgraduate School Monterey, Ca. 93940	1
Attn: A. Andrus, Code 55 D. Gaver, Code 55 D. Barr, Code 55 P. A. Jacobs, Code 55 P. A. W. Lewis, Code 55 P. Milch, Code 55 R. Richards, Code 55 M. G. Sovereign, Code 55 R. J. Stampfel, Code 55 R. R. Read, Code 55 J. Wozencraft, Code 74	1 25 1 20 1 1 1 1 1
Mr. Peter Badgley ONR Headquarters, Code 102B 800 N. Quincy Street Arlington, VA 22217	.1
Head, Systems Theory and Operations Research Program National Science Foundation Division of Engineering Washington, D.C. 20550	1
Mr. C. N. Bennett Naval Coastal Systems Laboratory Code P7c.l	1

DISTRIBUTION LIST

No. of Copies

OFFICE OF NAVAL RESEARCH SAN FRANCISCO AREA OFFICE 760 MAFKET STREET SAN FRANCISCO CALIFORNIA 94102	.1
TECHNICAL LIBRARY NAVAL CREMANCE STATION INCIAN HEAD MARYLAND 2064C	1
NAVAL SHIP ENGINEERING CENTER PHILADELPHIA CIVISION TECHNICAL LIBRARY PHILADELPHIA PENNSYLVANIA 19112	1
BLREAU OF NAVAL PRESONNEL DEFARTMENT OF THE NAVY TECHNICAL LIGRARY WASHINGTON C. C. 20370	1
PRCF. P. AECEL-HAMESD DEPARTMENT OF MATHEMATICS INIVERSITY OF NORTH CARCLINA CHARLOTTE NC 28223	1
PROF. T. W. ANCERSON DEFARTMENT OF STATISTICS STANFORD UNIVERSITY STANFORD, CALIFORNIA 94305	1
PRCF. F. J. ANS UMBE DEPARTMENT OF STATISTICS YALE UNIVERSITY NEW HAVER CONNECTICUT C6520	1
PROF. L. A. ARCIAN INSTITUTE OF INCUSTRIAL ACHIAISTRATION UNION COLLECE SCIENELIADY. ASK YORK 12308	1

DISTRIBUTION LIST No. of Copies PREDABILITY FROGRAM 1

STATISTICS AND PREDABILITY FROGRAM
CFFICE OF NAVAL RESEARCH
CODE 436
AFLINGTON
VA

CFFICELOF NAVAL RESEARCH

CFFICELOF NAVAL RESEARCH
NEW YORK AREA CFFICE
715 BRDACHAY - STH FLOOR
ATIN: CR. FORER GRAFTEN
NEW YORK, NY
12003

DIRECTOR
CFFICE OF NAVAL RESEARCH ERANCH OFF
536 SCUTH CLAFK STREET
ATIN: DEPUTY AND CHIEF SCIENTIST
CHICAGO, IL 60605

LI ERARY
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO
CA
92152

NATIONAL SPACE TECHNOLOGY LAB ATTN: NAVY LIERARIAN BAY ST. LGUIS MS 29522

AVAL ELECTRONIC SYSTEMS COMMAND
AAVELEX 32C
AATIONAL CENTER NO. 1
ARLIAGIOA
AVAL ELECTRONIC SYSTEMS COMMAND
AVAL ELECTRONIC SY

DIFECTOR NOVAL REAEARCH LABORATORY ATTN: LIERARY (ONRL)
CCCE 2025
NASHINGTON, C.C.
20275

TECHNICAL INFORMATION CIVISION
NAVAL RESEARCH LABORATORY
WASHINGTON, C. C.
20375

DISTRIBUTION LIST

•	No.	of Copies
PRCF. C. R. BAKER DEFARTMENT CF STATISTICS UNIVERSITY CF NGTRH CAFCLINA CHAPEL HILL, NCFTH CARGLINA 27514	1	7
FRCF. R. E. DECH-OFER CEPARTMENT OF OPERATIONS RESEARCH CORNELL UNIVERSITY ITHACA NEW YORK 14850	1	
FRCF. N. J. BERSHAC SCHOOL OF ENGINEERING UNIVERSITY OF CALIFORNIA IRVINE CALIFORNIA 92664	1	- :
P. J. BICKEL CEFARTMENT OF STATISTICS LNIVERSITY OF CALIFORNIA BERKELEY, CALIFORNIA 54720		
FROF. F. W. BLOCK DEPARTHENT OF MATHEMATICS UNIVERSITY OF PITTSBURGH PITTSBURGH PA 15260	1	•
PROF. JOSEPH BLUM DEPT. OF MATHEMATICS, STATISTICS AND COMPLTER SCIENCE THE AMERICAN UNIVERSITY WASHINGTON	1	-
PROF. R. A. BRADLEY DEPARTMENT OF STATISTICS FLORIDA STATE UNIVERSITY TALLAHASSEE , FLORIDA 32366		
FROF. R. E. BARLOW OPERATIONS PESCARCH CENTER COLLEGE OF FREINDERING UNIVERSITY OF CALIFORNIA BERKLEY CALIFORNIA 94720	1	-

"是"。

	No. of Copies
MR. GENE F. GLEISSNER AFFLIED MATHEMATICS LABORATORY CAVID TAYLOR NAVAL SHIP RESEARCH AND DEVELOPMENT CENTER BETHESDA 20084	
PROF. S. S. GLPTA DEPARTMENT OF STATISTICS PURCUE UNIVERSITY LAFAYETTE INDIANA 47907	1
FROF. C. L. HANSON DEPT OF MATH. SCIENCES STATE UNIVERSITY OF NEW YORK, BINGHAMTON BINGHAMTON NY 13901	1
Prof. M. J. Hin ch Dept. of Economics Virginia Polytechnica Institute and State University Blacksburg, VA 24061	1
Dr. D. Depriest. ONR, Code 102B 800 N. Quincy Street Arlington, VA 22217	
Prof. G. E. Whitehouse Dept. of Industrial Engineering Lehigh University Bethlehem, PA 18015	1
Prof. M. Zia-Hassan Dept. of Ind. & Sys. Eng. Illinois Institute of Technology Chicago, IL 60616	1
Prof. S. Zacks Statistics Dept. Virginia Polytechnic Inst. Blacksburg, VA 24061	•
Head, Math. Sci Section National Science Foundation 1800 G Street, N.W. Washington, D.C. 20550	1

No. of Copies

是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们

PEDE. W. P. HIPSCH INSTITUTE OF MATHEMATICAL SCIENCES NEW YORK UNIVERSITY NEW YORK 10453	1
FRCF. J. E. KACANE DEFARTMENT OF STATISTICS CAFNEGIE-MELLON FITTS EURCH. PERNSYLVANIA 15213	1
DR. RICHARD LAU EIFECTOR CFFICE CF NAVAL RESEARCH ERANCH OFF 1C30 EAST GREEN STREET PASADENA CA 91101	1
DF. A. R. LAUFER CIRECTCR CFFICE OF NAVAL RESEARCH BRANCH OFF 1030 EAST GREEN STREET FASACENA CA 91101	i.
PROF. M. LEADSETTER DEPARTMENT OF STATISTICS UNIVERSITY OF NORTH CARCLINA CHAPEL HILL NOFTH CARULINA 27514	į
CR. J. S. LEE J. S. LEE ASSOCIATES, INC. 2001 JEFFERSON DAVIS HIGHWAY SUITE BOZ ARLINGTON VA 22202	1.
FRCF. L. C. LEE DEFARTMENT OF STATISTICS VIRGINIA FOLYTECHNIC INSTITUTE AND STATE UNIVERSITY BLACKSBURG VA 24061	1
FROE R. S. LEVENMORTH DEPT. OF THIUSTRIAL AND SYSTEMS HICHMORTHUS HIVERSTRY OF FLORIDA AIRWRITE LUCKIDA 32211	1

	•	No. of Copies
CR. D. L. IGLEHART DEPT. CF C.F. STANFORD UNIV. STANFORD CALIFORNIA	94305 ·	1
Dr. E. J. Wegman, ONR, Cdoe 436 Arlington, VA 22217		1
DR. H. KGEAYASHI IBH YCFKTCHN FEIGHTS NEW YORK	÷	1
	10598	
CR. JOHN LEHOCZKY STATISTICS CE ARTHENT CARNEGIC-MELLON UNIVERS FITTS BURGH PENNSYLVANIA	15213	1
DR. A. LEMOINE 1020 GUINCA ST. FALO ALTC, CALIFORNIA		1
	94301	
DR. J. MACCUSEN UNIV. CF CALIF. LOS ANGELES CALIFORNIA		1
•	90024	
Professor Kneale Marshall Scientific Advisor to DCNO (MPT Code OP-OlT, Room 2705 Arlington Annex Washington, D.C. 20370	7)	1
DR. M. MAZUMÇAR VATH. DEPT. ESTINGHOLSE RES. LABS CHURCHILL BORD FITTSBURGH		1 .
PENNSYLVANIA	15235	-

	NO. Or cobres
FRCF G. LIEPERMAN STAMFORD INIVERSITY DEFARIMENT OF GPERATIONS RESEARCH STANFORD CALIFORNIA 94305	1
DR. JAMES R. MAAR NATIONAL SECURITY AGENCY FORT MEADE, MARYLAND 20755	1
FPCF. R. W. MAESEN DEPARTMENT OF STATISTICS LNIVERSITY OF MISSOURI COLUMBIA	į
MO 65201	•
DR. N. R. MANN SCIENCE CENTER ROCKWELL INTERNATIONAL CORPORATION P.C. BOX 1085 THOUSAND CAKS CALIFORNIA S136C	1
CR. W. H. MARLCH PROGRAM IN LOGISTICS THE GEORGE WASHINGTON UNIVERSITY 707 22NC STREET, N. W. WASHINGTON, D. C. 20037	1
PROF. E. MASRY DEFT. APPLIED PHYSICS AND INFORMATION SERVICE UNIVERSITY OF CALIFORNIA LA JOLLA CALIFORNIA 92093	1.
Prof. W. A. Thompson Department of Statistics University of Missouri Columbia, MO 65201	1
Mr. F. R. Priori Code 224, Operational Test and ONRS & ONR Evaluation Force (OPTEVFOR) Norfolk, VA 20360	1.

Dr. Leon F. McGinnis School of Ind. And Sys. Eng. Georgia Inst. of Tech. Atlanta, GA 30332	·	No. o	f Copies
CR. F. MOSTELLER STAT. CEPT. HARVARD UNIV. CAMBRIDGE PASSACHUSETTS	02139		1
DR. M. REISER TEM THOMAS J. WATSON FES. CTR. YORKTOWN HEIGHTS NEW YORK	10598		1.
DR. J. RICRCAN . DEPT. GF MATHEMATICS POCKEFELLER UNIV. NEW YORK NEW YORK	100 21		1
DR. LINUS SCHRIGE LNIV. CF CHICAGO GRAD. SCHOOL OF BUS 5826 GREENWECE AVE. CHICAGO, ILLINGIS	60637		1
Dr. Paul Schweitzer University of Rochester Rochester, N.Y. 14627			1
Dr. V. Srinivasan Graduate School of Business Stanford University Stanford, CA. 94305			1
Dr. Roy Welsch M.I.T. Sloan School Cambridge, MA 02139			1

	No. of Copies
THE INSTITUTE OF DECISION SCIENCE FOR DUSINESS AND PUBLIC POLICY	1 :
GLAREMONT PEN'S COLLEGE CLAREMONT CA 91711	
MR. F. MISSELSCN BUREAU OF THE CENSUS ROOM 2025 FROERAL EUILCING 3 WASHINGTON : D. C. 2023	1:
MISS E. S. CRLEANS NAVAL SEX SYSTEMS COMMAND (SEA 02F) RM 105C3 ARLINGTON VIRGINIA 20360	1
FROF. C. E OWEN DEPARTMENT OF STATISTICS SOUTHERN METHODIST UNIVERSITY CALLAS TEXAS 75222	1
Prof. E. Parzen Statistical Sceince Division Texas A & M University College Station TX 77843	1
DR. A. PETRASOVITS RCCM 207E, FCCC AND CRLG BLDG. TUNNEY'S PASTURE CTTOWA, CNTARIC KIA-CL2, CANADA	1
FRCF. S. L. PECENIX SIELEY SCHOOL OF MECHANICAL AND AEROSPACE ENCINEERING CORNELL UNIVERSITY ITHACA	1 .
ÑÝ 14850	
DF. A. L. POWELL BIRECTOR CFFICE OF NAVAL RESEARCH BRANCH OFF 195 SUMMER STREET BOSTON	æ
MA 02210	

	No. of Cop
PROF. M. L. PURI DEFT. CF PATHEMATICS P.G. BOX F INCIANA LUIVERSITY FOUNDATION ELCOMINGICA IN 47401	1
PROF. H RCPBINS DEFARTMENT OF MATHEMATICS CCLUPETA UNIVERSITY NEW YORK. NEW YORK 10327	1
PFOF. M ROSENBLATT DEPARTMENT OF MATHEMATICS UNIVERSITY OF CALIFORNIA SAN DIEGO LA JOLLA CALIFORNIA 92093	1
PROF. S. M. RCSS COLLEGE OF ENGINEERING UNIVERSITY OF CALIFORNIA BERKELEY CA 94723	1
FROF. I RUEIN SCHOOL OF ENGINEERING AND APPLIED SCIENCE UNIVERSITY OF CALIFORNIA LOS ANGELES CALIFORNIA 20024	1
PRCF. I. R. SAVAGE CEPARTMENT OF STATISTICS YALE UNIVERSITY NEW HAVEN. CCNNECTICUT C6520	1
FRCF. L. L SCHARF JR DEPARTMENT OF ELECTICAL ENGINEERING COLORACU STATE UNIVERSITY FT. CCLLINS . CCLORACU E0521	. 1
Prof. W. R. Schucany Deptartment of Statistics Southern Methodist University Dallas, TX 75222	

是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人

	No. of Copies
Dr. H. Sittrop Physics Lab., TNO P.O. Box 96964 2509 JG, The Hague The Netherlands	1
DR. R. ELASHOFF BIOMATHEMATICS UNIV. CF CALIF. LCS ANGELES CALIFORNIA 90024	1.2
90024	
PROF. GECRGE S. FISHMAN UNIV. CF NORTH CARGLINA CUR. IN CR AND SYS. ANALYSIS PHILLIPS ANNEX CHAPEL HILL, NORTH CARCLINA	1
Charge Hill, NCRIN CARCLINA 20742	
DR. R. GNÁNACESIKAN EELL TELEPHONE LAG' HOLPDEL, N. J. 07733	1
	1
DR. A. J. GCLEMAN CHIEF. GR DIV. 2C5.C2. ADMIN. A428 U.S. DEPT. CF CEMMERGE WASHINGTEN, E.C. 20234	1
DR. H. HIGGINS 53 BONN 1. POSTFACH 589 NASSESTRASSE 2	•
. WEST GERMANY	
DR. P. T. HOLMES DEPT. OF MATH. CLEMSON UNIV. CLEMSON	1.
SGUTH CAROLINA 29631	
Dr. J. A. Hocke Bell Telephone Labs Whippany, New Jersey 07733	1
Dr. Robert Hooke	1
Box 1982 Pinehurst, No. Carolina 28374	
An	

		No.	of Copies
PRCF. L. N. PHAT COMPUTER SCIENCE / O RESEARCH CENTER SOLTHERN METHEDIST U CALLAS TEXAS 75275	PERATICHS INIVERSITY		1 -1099
FRCF. W. R. ELISCHKE DEPT. OF GLANTITATIV BUSINESS ANALYSIS UNIVERSITY OF SCUTHE LOS ANGELES, CALIFOR	E RN CALIFORNIA NIA 90007	•	
CR. DERRILL J. BCRDE NAVAL UNCEFWATER SYS COCE 21 NEWPORT RI	LON TEMS CENTER 02840		
J. E. CGYER JR CEPT. OF STATISTICS SOUTHERN METHODIST UI DALLAS TX	NI VERSITY 7527 5		
DR. J. CHANCRA U. S. ARMY RESEARCH F. G. EOX 12211: RESEARCH TRIANGLE PAR AGETH CARCLINA 27706	KK .		1
FROF. H. CHERNOFF DEPT. CF MATHEMATICS MASS INSTITUTE CF TEC CAMBRIDGE. MASSACHUSETTS 02139	CHNOLOGY		1
FROF. C. CERMAN DEFARTMENT OF CIVIL S AND ENGINEERING MECHA COLUMFIA UNIVERSITY NEW YORK NEW YORK	EN GINEER IN G BUICS 10027		1
PRCF. R. L. DISNEY VIAGINIA FOLYTECHNIC AND STATE UNIVERSIT DEFT. CF INTUSTATAL E AND OPERATIONS FESE BL/CKS EURG. VA	Y AGINEERING		1

391777 : .GT		No. of Copies
PROF. C. C. SIEGMUND CEPT. OF STATISTICS STANFORD CALVERSITY STANFORD CA	54305	1.3
FRCF. M. L. SEGDMAN DEPT. CF ELECTRICAL ENC POLYTECHNIC INSTITUTE O BRCCKLYN, NEW YORK 11201	GINEERING CF. NEW YORK	
CR. C. E. SMITH DE SMATICS INC. P.C. BOX 618 STATE COLLEGE PENNSYLVANIA 16801		1.
PROF. W. L. SPITH DEFARTMENT OF STATISTIC UNIVERSITY OF NORTH CAR CHAPEL HILL AGETH CARCLINA 27514	S CLINA	1. 6
Dr. H. J. Solomon Statistics Dept. Stanford University Stanford, Ca. 94305	·	1
MF. GLENN F. STAFLY NATIONAL SECURITY AGENCY FORT MEACE PARYLAND 20755	Y	1
Mr. J. Gallagher Naval Underwater Systems Cente New London, CT 06320	er	1
Prof. Gordon Newell Transportation Engineering University of California Berkeley, CA. 94720		1

No. of Copies

DR. R. M. STARK STATISTICS AND COMPUTER	SCI.	1
UNIV. CF DELAHARE NEHARK DELAHARE	19711	· · · · · · · · · · · · · · · · · · ·
FFOF. RICHARC VANSLYKE RES. AMALYSIS CORP. BEECHWOOD CLD TAFFEN FOAD GLEN COVE. NEW YORK	11 542	1
PRCF. JOHN W. TUKEY FINE HALL FRINCHTON UNIV. PRINCHTON NEW JERSEY	08540	1
CR. THOMAS C. VARLEY CFFICE OF NAVAL RESEARCH CODE 434 ARLINGTON VA	22217	1
PRCE - G. WATSON FINE HALL PRINCETEN UNIV . PRINCETEN NEW JERSEY	· C 8540	1
PR. CAVIC A. SHICK ADVANCED PROJECTS GROUP CODE BIG3 NAVAL RESEARCH LAB. NASHINGTON CC	·20375 [·]	į
PR. WENDELL G. SYKES ARTHUR C. LITTLE, INC. ACCRM PARK CAMBRIDGE MA	02140	1
PROF. J. R. THOMPSON DEPARTMENT OF MATHEMATICA RICE UNIVERSITY HOUSTON. TEXAS 77001	L SCIENCE	1

	No. of Copies
FROF. F. A. TILLMAN DEPT. OF INDUSTRIAL ENGINEERING KANSAS STATE UNIVERSITY MANHATTAN	1
K\$ 66506	_
PRCF. A . F . VEINOTT DEFARTMENT CF CPERATIONS RESEARCH STANFORD UNIVERSITITY STANFORD CALIFORNIA 94305	. i .
CANIEL H. NAGNER STATION SOLARE ONE FACLI , FENNSYLVANIA 19301	1 ,
PRCF. GRACE WAHRA CEFT. CF STATISTICS UNIVERSITY CF WISCONSIN MADISON WI	1
P. Bloomfield Dept. of Statistics Princeton University Princeton, N.J. 08540	. 1

	No. of Copie
Head, Systems Theory and Operations Research Program Division of Engineering, National Science Foundation Washington, D.C. 20550	
Dr. J. Keilson Graduate School of Management University of Rochester Rochester, N.Y. 14627	1.
P. Kubat Graduate School of Management University of Rochester Rochester, N.Y. 14627	. .
Professor Alfredo H-S Ang Department of Civil Engineering University of Illinois Urbana, Ill. 61801	1
Professor Allin Cornell Dept. of Civil Engineering, Rm 1263 M.I.T. Cambridge, MA 02139	1
Professor Armen De Kiureghian Dept. of Civil Engineering University of California Berkeley, CA 94720	1
Z. Khalil Industrial Engineering Dept. University of California Berkeley, CA 94720	İ
Professor G. L. O'Brien Mathematics Department York University 4700 Keele Street Downsview, Ontario M3J 1P3, CANADA	1

,我们是这个人,我们是不是一个人,我们也是不是一个人,我们也不是一个人,我们也不是一个人,我们也不是一个人,我们也不是一个人,我们也不是一个人,我们也不是一个人, 第一个人,我们也不是一个人,我们也不是一个人,我们也不是一个人,我们也不是一个人,我们也不是一个人,我们也不是一个人,我们也不是一个人,我们也不是一个人,我们也

	No.	of	Copies
Prof. R. L. Tweedie Mathematics Dept. University of Western Australia Nedlands, Australia 6009			1
Won J. Park Department of Mathematics Wright State University Dayton, Ohio 45435			1
Prof. M. Robinovitch Dept. Industrial Eng. & Management Technion, Isreal Inst. Technology Haifa, Israel			1
Dr. M. P. Singh Dept. Eng. Sci. Mech. Rm 217C Norris Hall Virginia Polytechnical Institute Blacksburg, VA 24061			1
Prof. S. Resnick Dept. of Statistics Colorado State University Fort Collins, CO 80523			1
Prof. Y. Mittal Statistics Dept. Stanford University Stanford, CA 94305			1
Henrik Overgaard Madsen Structural Research Lab. Technical University of Denmark DK-2800 Lyngby DENMARK			1
D. Emil Simiu Center for Building Technology National Bureau of Standards Washington, D.C. 20234			1

THE THE RESIDENCE FOR THE PROPERTY OF THE PROP

	NO.	OI	copres
Joan R. Rosenblatt Applied Math. Center National Bureau of Standards Washington, D.C. 20234			1
Howard Taylor Dept. of Operations Research Cornell Univ.			1